
SECTION V - HEALTH HAZARD DATA

MAIN ROUTE OF ENTRY - INHALATION
TARGET ORGANS - SKIN CAN BE SEVERELY BURNED FROM CONTACT
WITH MOLTEN MATERIAL.
HEALTH HAZARDS (ACUTE AND CHRONIC) - NONE

FIRST AID:

**COOL AFFECTED AREA IMMEDIATELY, OBTAIN MEDICAL ASSISTANCE.
DO NOT ATTEMPT TO REMOVE COOLED GLUE FROM SKIN AS SEVERE
SKIN DAMAGE COULD RESULT.**

SECTION VI - REACTIVITY DATA

STABILITY - STABLE
HAZARDOUS DECOMPOSITION OR BY-PRODUCTS - CARBON MONOXIDE
CONDITIONS TO AVOID - TEMPERATURES OVER 400F MAY CAUSE RESIN
DEGRADATION
HAZARDOUS POLYMERIZATION - CANNOT OCCUR

SECTION VII - SPILL OR LEAK PROCEDURES

SPILL - SWEEP UP RAW MATERIAL AND DISPOSE. ALLOW MOLTEN
MATERIAL TO COOL, SCRAPE UP AND DISPOSE.
WASTE DISPOSAL METHOD - IN ACCORDANCE WITH LOCAL
REGULATIONS

SECTION VIII - PROTECTIVE EQUIPMENT TO BE USED

VENTILATION - YES, DO NOT USE IN CONFINED SPACES.
PROTECTIVE GLOVES - YES
EYE PROTECTION - YES

SECTION IX - PRECAUTIONS OR OTHER COMMENTS

STORAGE AND HANDLING - STORE IN COOL DRY PLACE, OPTIMUM
TEMPERATURE 70 F.

SECTION X - OTHER COMMENTS

NFPA Hazard Classification
Health: 1 Flammability: 1 Reactivity: 0 Special Hazards: None