

Material: 102 GP

AP-102 GP TRAN

Version: 1.3 (INTL-GHS)

Date of print: 12.06.2019

Date of last alteration: 07.06.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial product name: **AP-102 GPG C3C**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of substance / preparation:

Industrial.

Sealants

1.3 Details of the supplier of the safety data sheet

Manufacturer/distributor: Titan Distribution, LLC.
Adhesion Products

Customer information: Titan Distribution, LLC.
22290 Challenger Drive
Elkhart, IN 46514 USA
InfoLine:
Tel (574) 970-8425, Fax (574) 970-8428
Hours of operation:
Monday - Friday, 8 am to 5 pm (Eastern standard time)
Corporate website: www.titansc.com

Emergency telephone number (574) 970-8425
Transportation Emergency (800) 255-3924 (ChemTel, USA)

This SDS was prepared by the Regulatory Affairs and Product Safety Department (RAPS) of Wacker Chemical Corporation.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 Label elements

No labeling according to GHS required.

Code	Additional Labelling
EUH208	Contains 4,5-dichloro-2-n-octyl-4-isothiazolin-3-one. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

3.2.1 Chemical characteristics

Polydimethylsiloxane and fillers and auxiliaries and acetoxysilane cross-linker

Material: AP-102 GP TRAN

Version: 1.3 (INTL-GHS)

Date of print: 12.06.2019

Date of last alteration: 07.06.2019

3.2.2 Hazardous ingredients

EC-No.	CAS No.	Substance	Content %
265-148-2	64742-46-7	Distillates, petroleum, hydrotreated middle	>5 – ≤10
241-677-4	17689-77-9	Triacetoxyethylsilane	<3
		Oligomeric ethyl and methyl acetoxysilanes	<2

Hydrocarbon mixtures were classified in accordance with the applicable notes in Annex VI of Regulation (EC) No. 1272/2008.

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) in amounts above ≥ 0.1%.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In case of accident or if you feel unwell seek medical advice (show label or SDS where possible).

After contact with the eyes:

Rinse immediately with plenty of water. Seek medical advice in case of continuous irritation.

After contact with the skin:

Wipe off excess material with cloth or paper. Wash with plenty of water or water and soap. In the event of a visible skin change or other complaints, seek medical advice (show label or SDS where possible).

After inhalation:

Material cannot be inhaled under normal conditions.

After swallowing:

Give several small portions of water to drink. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

4.3 Indication of any immediate medical attention and special treatment needed

Further toxicology information in section 11 must be observed.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

alcohol-resistant foam , carbon dioxide , water mist , sprinkler system , sand , extinguishing powder .

Extinguishing media which must not be used for safety reasons:

water jet .

5.2 Special hazards arising from the substance or mixture

Risk of hazardous gasses or fumes in the event of fire. Exposure to combustion products may be a health hazard! Hazardous combustion products: toxic and very toxic fumes .

5.3 Advice for firefighters

Special protective equipment for fire fighting:

Use respiratory protection independent of recirculated air. Keep unprotected persons away.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols. If material is released indicate risk of slipping. Do not walk through spilled material.

Material: AP-102 GP TRAN

Version: 1.3 (INTL-GHS)

Date of print: 12.06.2019

Date of last alteration: 07.06.2019

6.2 Environmental precautions

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.

6.3 Methods and material for containment and cleaning up

Scoop up large quantities after dusting surfaces with sand or Fuller's earth to prevent sticking. Sweep or scrape up the spilled material and place in an appropriate chemical waste container. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Apply sand or other inert granular material to improve traction.

Further information:

Exhaust vapours. Eliminate all sources of ignition. Consider explosion protection. Observe notes under section 7.

6.4 Reference to other sections

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions for safe handling:

Ensure adequate ventilation. Must be syphoned off in situ. Keep away from incompatible substances in accordance with section 10. Observe information in section 8.

Precautions against fire and explosion:

Product may release acetic acid. Flammable vapors may accumulate and form explosive mixtures with air in containers, process vessels, including partial, empty and uncleaned containers and vessels, or other enclosed spaces. Keep away from sources of ignition and do not smoke. Take precautionary measures against electrostatic charging. Cool endangered containers with water.

7.2 Conditions for safe storage, including any incompatibilities

Conditions for storage rooms and vessels:

Observe local/state/federal regulations.

Advice for storage of incompatible materials:

Observe local/state/federal regulations.

Further information for storage:

Store in a dry and cool place. Protect against moisture. Store container in a well ventilated place.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

-

8.2 Exposure controls

8.2.1 Exposure in the work place limited and controlled

General protection and hygiene measures:

Observe standard industrial hygiene practices for the handling of chemical substances. Do not inhale gases/vapours/aerosols. Use with adequate ventilation. Avoid contact with eyes and skin. Preventive skin protection recommended. Remove contaminated, soaked clothing immediately. Clean work areas regularly. Provide emergency shower and eye-bath. Do not eat, drink or smoke when handling.

Personal protection equipment:

Respiratory protection

If inhalative exposure above the occupational exposure limit cannot be excluded, adequate respiratory protection equipment must be used. Suitable respiratory equipment: Respirator with a full face mask, according to acknowledged standards such as EN 136. Recommended Filter type: Gas filter type ABEK (certain inorganic, organic and acidic gases and vapors; ammonia/amines), according to acknowledged standards such as EN 14387

Material: AP-102 GP TRAN

Version: 1.3 (INTL-GHS)

Date of print: 12.06.2019

Date of last alteration: 07.06.2019

Observe the equipment manufacturer's information and wear time limits for respirators.

Eye protection

protective goggles .

Hand protection

Gloves are required at all times when handling the material.

Recommended glove types: Protective gloves made of butyl rubber
thickness of the material: > 0,3 mm
Breakthrough time: > 480 min

Recommended glove types: Protective gloves made of nitrile rubber
thickness of the material: > 0,1 mm
Breakthrough time: 60 - 120 min

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Note that, due to the numerous external influences (such as temperature), a chemically resistant protective glove in daily use may have a service life that is considerably shorter than the measured break through time.

Skin protection

protective clothing .

8.2.2 Exposure to the environment limited and controlled

Prevent material from entering surface waters, drains or sewers and soil.

8.3 Further information for system design and engineering measures

Observe information in section 7. Observe national regulatory requirements.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Property:	Value:	Method:
Appearance		
Physical state / form	paste	
Colour.....	colourless	
Odour		
Odour	pungent	
Odour limit		
Odour limit.....	no data available	
pH-Value		
pH-Value	not applicable	
Melting point/freezing point		
Melting point / melting range	not applicable	
Initial boiling point and boiling range		
Boiling point / boiling range	not applicable	
Flash point		
Flash point.....	not applicable	
Evaporation rate		
Evaporation rate	no data available	
Upper/lower flammability or explosive limits		
Lower explosion limit (LEL)	not applicable	
Upper explosion limit (UEL).....	not applicable	
Vapour pressure		
Vapour pressure.....	not applicable	
Solubility(ies)		
Water solubility / miscibility.....	virtually insoluble	
Vapour density		
Relative gas/vapour density	No data known.	

Material: AP-102 GP TRAN

Version: 1.3 (INTL-GHS)

Date of print: 12.06.2019

Date of last alteration: 07.06.2019

Relative Density

Relative Density: 1,01 (23 °C) (ISO 1183-1 A)
(Water / 4 °C = 1,00)

Density: 1,01 g/cm³ (23 °C) (ISO 1183-1 A)

Partition coefficient: n-octanol/water

Partition coefficient: n-octanol/water.....: No data known.

Auto-ignition temperature

Ignition temperature: approx. 400 °C (DIN 51794)

Decomposition temperature

Thermal decomposition: not applicable

Viscosity

Viscosity (dynamic): approx. 800000 mPa.s

Molecular mass

Molecular mass: not applicable

9.2 Other information

Solubility in water: Hydrolytic decomposition occurs. pH Value: Product displays acidic reaction with water.
Explosion limits for released acetic acid: 4 - 17%(V).

SECTION 10: Stability and reactivity

10.1 – 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.
Relevant information can possibly be found in other parts of this section.

10.4 Conditions to avoid

moisture , Heat, open flames, and other sources of ignition.

10.5 Incompatible materials

Reacts with: water , basic substances and alcohols . Reaction causes the formation of: acetic acid .

10.6 Hazardous decomposition products

By hydrolysis: acetic acid . Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

11.1.1 General information

Data derived for the product as a whole are of higher priority than data for single ingredients.

11.1.2 Acute toxicity

Product details:

Route of exposure	Result/Effect	Species/Test system	Source
Oral	LD50: > 2000 mg/kg	rat	Conclusion by analogy
dermal	LD50: > 2009 mg/kg	rabbit	Conclusion by analogy

11.1.3 Skin corrosion/irritation

Product details:

Result/Effect	Species/Test system	Source
not irritating	rabbit	Conclusion by analogy

11.1.4 Serious eye damage / eye irritation

Material: AP-102 GP TRAN

Version: 1.3 (INTL-GHS)

Date of print: 12.06.2019

Date of last alteration: 07.06.2019

Product details:

Result/Effect	Species/Test system	Source
not irritating	in vitro method; Bovine eye / bovine cornea	Conclusion by analogy OECD 437
not irritating	rabbit	Conclusion by analogy

11.1.5 Respiratory or skin sensitization

Product details:

Route of exposure	Result/Effect	Species/Test system	Source
dermal	not sensitizing	guinea-pig; Magnusson-Kligman	Conclusion by analogy

11.1.6 Germ cell mutagenicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.7 Carcinogenicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.8 Reproductive toxicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.9 Specific target organ toxicity (single exposure)

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.10 Specific target organ toxicity (repeated exposure)

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.11 Aspiration hazard

Assessment:

Based on the physical-chemical properties of the product no aspiration hazard must be expected.

11.1.12 Further toxicological information

In contact with dampness product separates a small quantity of acetic acid (64-19-7) which irritates skin and mucous membranes.

Data on substances:

aliphatic and naphthenic hydrocarbons:

According to literature aliphatic hydrocarbons are slightly irritating to the skin and mucuous membranes and have a skin drying and narcotic effect. If the lungs are directly affected (e.g. by aspiration), inflammation of the lungs may occur.

SECTION 12: Ecological information

12.1 Toxicity

Assessment:

Based on available data no effects on aquatic organisms that are relevant for classification must be expected for the product up to its limits of water solubility.

The environmental hazard classification of this material is concluded by data available for the ingredients and the leachable amount of biocide in simulation tests in water.

Material:

AP-102 GP TRAN

Version: 1.3 (INTL-GHS)

Date of print: 12.06.2019

Date of last alteration: 07.06.2019

Product details:

Result/Effect	Species/Test system	Source
LC ₅₀ : > 10 - < 100 mg/l (calculated value)	rainbow trout (<i>Oncorhynchus mykiss</i>) (96 h)	elution assay (DCOIT)
EC ₅₀ : > 10 - < 100 mg/l (calculated value)	Daphnia magna (48 h)	elution assay (DCOIT)
ErC50 (growth rate): > 10 - < 100 mg/l (calculated value)	Navicula pelliculosa (24 h)	elution assay (DCOIT)
NOEC (growth rate): > 1 mg/l (calculated value)	Navicula pelliculosa (24 h)	elution assay (DCOIT)
NOEC (early life stage test): > 1 mg/l (calculated value)	rainbow trout (<i>Oncorhynchus mykiss</i>)	elution assay (DCOIT)
NOEC (reproduction): > 1 mg/l (calculated value)	Daphnia magna	elution assay (DCOIT)

Data on substances:

Data derived for the product as a whole are of higher priority than data for single ingredients.

4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one:

Result/Effect	Species/Test system	Source
LC ₅₀ : 0,0027 mg/l (measured)	dynamic rainbow trout (<i>Oncorhynchus mykiss</i>) (96 h)	literature OECD 203
EC ₅₀ : 0,0052 mg/l (measured)	dynamic Daphnia magna (48 h)	literature OECD 202
ErC50 (growth rate): 0,0016 mg/l (measured)	static Navicula pelliculosa (24 h)	literature OECD 201
NOEC (growth rate): 0,00034 mg/l (measured)	static Navicula pelliculosa (24 h)	literature OECD 201
NOEC (early life stage test): 0,00056 mg/l (measured)	rainbow trout (<i>Oncorhynchus mykiss</i>) (97 d)	literature OECD 210
NOEC (reproduction): 0,00063 mg/l (measured)	dynamic Daphnia magna (21 d)	literature OECD 211

12.2 Persistence and degradability

Assessment:

Silicone content: biologically not degradable. Separation by sedimentation. The product of hydrolysis (acetic acid) is readily biodegradable.

Data on substances:

4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one:

Not applicable.

12.3 Bioaccumulative potential

Assessment:

Bioaccumulation is not expected to occur.

12.4 Mobility in soil

Assessment:

Silicone content: Insoluble in water.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

none known

12.7 Additional information

In cross-linked state not soluble in water. Easily separable from water by filtration.

Material: **AP-102 GP TRAN**

Version: 1.3 (INTL-GHS)

Date of print: 12.06.2019

Date of last alteration: 07.06.2019

SECTION 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Material

Recommendation:

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

13.1.2 Uncleaned packaging

Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

SECTION 14: Transport information

14.1 – 14.4 UN number; UN proper shipping name; Transport hazard class(es); Packing group

Road ADR:

Valuation: Not regulated for transport

Railway RID:

Valuation: Not regulated for transport

Transport by sea IMDG-Code:

Valuation: Not regulated for transport

Air transport ICAO-TI/IATA-DGR:

Valuation: Not regulated for transport

14.5 Environmental hazards

Hazardous to the environment: no

14.6 Special precautions for user

Relevant information in other sections has to be considered.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Bulk transport in tankers is not intended.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

15.2 Details of international registration status

Relevant information about individual substance inventories, where available, is given below.

South Korea (Republic of Korea): **ECL** (Existing Chemicals List):

This product is listed in, or complies with, the substance inventory.

Australia: **AICS** (Australian Inventory of Chemical Substances):

This product is listed in, or complies with, the substance inventory.

China.....: **IECSC** (Inventory of Existing Chemical Substances in China):

This product is listed in, or complies with, the substance inventory.

Philippines.....: **PICCS** (Philippine Inventory of Chemicals and Chemical Substances):

This product is listed in, or complies with, the substance inventory.

United States of America (USA).....: **TSCA** (Toxic Substance Control Act Chemical Substance Inventory):

All components of this product are listed as active or are in compliance with the substance inventory.

Material: AP-102 GP TRAN

Version: 1.3 (INTL-GHS)

Date of print: 12.06.2019

Date of last alteration: 07.06.2019

Taiwan : **TCSI** (Taiwan Chemical Substance Inventory):
This product is listed in, or complies with, the substance inventory. General note:
The Taiwanese chemicals regulation requires a phase 1 registration for TCSI-listed
or TCSI-compliant substances if imports to Taiwan or manufacturing in Taiwan
exceed the trigger quantity of 100 kg/a (for mixtures to be calculated per each
ingredient). It is the duty of the importing/manufacturing legal entity to take care of
this obligation.

European Economic Area (EEA)..... : **REACH** (Regulation (EC) No 1907/2006):
General note: the registration obligations for substances imported into the EEA or
manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by
the said supplier. The registration obligations for substances imported into the EEA
by customers or other downstream users must be fulfilled by the latter.

SECTION 16: Other information

16.1 Material

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

All deliveries are subject to the WACKER SILICONES Health Care Policy, which is available at www.wacker.com.

16.2 Further information:

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

- End of Safety Data Sheet -